# POWER DECK BLASTING SUPPLIES

P | 606.663.4069 F | 606.663.4088 E | sales@powerdeckcompany.com

PRODUCT CATALOGUE

#### TABLE OF CONTENTS

**INITIATORS** 

**SURVEYING** 

**LOADING & TOOLS** 

#### **POWER DECK® PLUGS**

**SECURITY** 

SAFETY

**TECH** 

**EQUIPMENT** 

**SIGNAGE** 



#### All sales are subject to the following terms and conditions:

**Payment terms:** We accept all major credit cards. And, purchase orders with approved credit application: Net 30 days.

**Pricing:** Full and complete price list made available upon request.

**Shipping:** Shipping FOB Stanton, KY. And, delivery is available for local operations.

Disclaimer: Purchaser must use all products in accordance with applicable law and to comply with all safety standards imposed or recommended by the manufacturer. The purchaser's warranty, if any, is that provided by the product's manufacturer. Seller makes no express or implied warranties. Seller will not be liable for personal injury, property damage or any expenses incurred in connection with products sold.

#### **INITIATORS**

#### RFD

The Power Deck company specializes in Remote Firing Devices (RFD). We provide cost effective blasting solutions from the world's premier manufacturer – Rothenbuhler Engineering. These systems can operate in both surface and underground operations; providing superior blasting performance. The RFD has proven to be a valuable tool for any blasting operation. As a valuable tool, they will improve blast safety programs while being user friendly and most importantly cost efficient; often paying for themselves in a few short weeks!

#### 1674

The 1674 model is a compact and cost efficient remote firing device. It provides for a 3-5 mile two-way communication range (LOS), fast operation, rechargeable batteries, and bright LED lights for visibility in direct sunlight. It comes housed in a waterproof and submersible case. In addition to being able to withstand harsh conditions, it operates under a 16 hour run time on a full charge. Plus, it has the capability of firing up to two remotes.

- Timed automatic disarming
- Option for keyless remotes
- Remote battery monitoring
- Variable temperature ranges to withstand harsh conditions

The 1674's radio system signal is digitally encoded (addressed). The latest microprocessor and message encoding/validation technology has been combined to provide a FAST, RELIABLE and, SAFE remote firing device.

1674	
Item #	Description
167401	RFD Controller
167402	RFD Remote
167404	Single Case*
167405	Double Case**

*     -  -		11			
^ holds	contro	ller	and	one	remote

<sup>\*\*</sup>holds controller and two remotes





#### 1670

The 1670 with up to eight remotes offers more firing options with electric and non electric initiation. It offers a unique digitally encoded frequency that is reliable and safe up to a range of five miles over land.

1670*	
Item #	Description
167011	RFD Controller
167012	RFD Remote

\*up to 8 remotes



Shock Tube Initiator



#### INITIATORS



Protect your RFD investment with the Shield-tenna. This protective shield is both rugged and lightweight. It not only protects the remote from fly-rock but also enhances the communication between remote and control units when used over undulating terrain. Plus, it can easily be transported around the jobsite





HS1 Stainless Steel Hand Starter
One-piece heavy duty stainless steel and brass
swivel breechblock for quick loading and unloading.



Hand Tool Pouch (Ideal for hand starters) 150041



**EOD Hand Starter** Aluminum body with Stainless interior and brass quick connect tip.



HB 10 - 1900 Fires up to 10 standard electric caps. Pocket sized and uses a 9-volt battery.

Firing voltage: 140 VDL Firing energy: 1.0 Joule (w/s)



HB 50 - 1902 Fires up to 50 standard electric caps. Pocket sized and uses a 9-volt battery.

Firing voltage: 400 VDL Firing energy: 3.0 Joule (w/s)



TSBS Initiator - 1903

Output voltage (Electric): 450VDC Output energy (Electric): 5.0 Joules Output voltage (Non-Electric): 2500VDC Output energy (Non-Electric): 0.5 Joules



1903

TSBS Replacement Tip - 1904





1800

MSHA approved and employs solid state surface mount technology for the same ruggedness and reliability. The 106 is sealed against the elements, weighs 5oz, and uses a 9V NEDA 1604/1604A battery.



ACCESSORIES		
Item #	Description	
1700	Shock Tube Initiator	
166412	Shield-Tenna	
167003	1670 RFD Charger	
167403	1674 RFD Charger	
166424	Rubber Duckie Antenna	
167019	Mag Mount Truck Antenna	
15040	HS1 Starter	
150041	Hand Starter Pouch	
15050	EOD Single line Dual Safety Pencil Initiator	
1900	HB10 Handi-Blaster	
1902	HB50 Handi-Blaster II	
1903	TSBS Combo Initiator with Ohm Range Continuity Tester	
1904	Replacement Tip	
15056	209 Primers	
1801	Silver Chloride Cell D-RC Galvanometer	
1800	Analog Bright Yellow 106 Galvanometer with case	

#### **SURVEYING**

This fiberglass depth gauge comes marked, on both sides, with feet and Inch demarcations, in easy to see red and black ink, covered by a protective poly-coating. On one end you have the handle and on the other end is a clip for switching out different size weights. This depth gauge can be purchased alone or ready to use with an attached weight. The tensile strength is 100kg/ 200lbs.

DEPTH GAUGE		
Item #	Length	
5001	25 ft.	
5002	50 ft.	
5003	100 ft.	
5004	200 ft.	



DEPTH GAUGE WEIGHTED		
Item #	Length	Weight
5101		8 oz.
5102	25 ft.	12 oz.
5103		16 oz.
5104		8 oz.
5105	50 ft.	12 oz.
5106		16 oz.
5107		8 oz.
5108	100 ft.	12 oz.
5109		16 oz.
5110		8 oz.
5111	200 ft.	12 oz.
5112		16 oz.



GAUGE WEIGHT		
Item #	Weight	
5009	8 oz.	
5010	12 oz.	
5233	16 oz.	








<b>EMULS</b>	ION WEIGHTS
Item #	Weight
52051	8 oz.
52052	16 oz.



These reels come with 1/2" replaceable fiberglass tape printed on both sides with graduations in feet or meters. The orange reel is made of a strong but lightweight plastic. These tapes can be ordered with or without the 8, 12, or 16 oz weight.

TAPE & REEL		
Item #	Length	
5018	50 ft.	





FIBERGLASS TAPE & REEL WEIGHTED		
Item #	Length	Weight
5116		8 oz.
5117	50 ft.	12 oz.
5118		16 oz.
5119		8 oz.
5120	100 ft.	12 oz.
5121		16 oz.
5125		8 oz.
5126	200 ft.	12 oz.
5127	The state of the s	16 oz.
5128	A) REPLIES IN	8 oz.
5129	300 ft.	12 oz.
5130		16 oz.



#### **SURVEYING**

5026

5027

# DRILLERS TAPE REFILL Item # Length 5023 50 ft. 5024 100 ft.

200 ft.

300 ft.



# HAND REELS FOR WINDING TAPES

Item #	Description		
52053	11" Plastic Hand Reel		
54520	13" Plastic Hand Reel		



#### **BLASTING MIRRORS**

Item #	Description
53035	Glass Mirror w/ Case
53036	Plex-I-Mirror



The TruPulse 360 model measures horizontal distance (HD), vertical distance (VD), slope distance (SD), inclination (INCO), height (HT), azimuth (AZ), and missing line (ML). It comes standard with a serial port, offers in-scope data display with 7x power optics, and runs on 2AA batteries. This unit offers the convenience of a wireless data connection. It also offers a 3-shot height routine and 2-shot 3D missing line routine.

RANGE FINDERS  Item # Description		
		5036
5033	TruPulse 200 Inclinometer	
5035	TruPulse Cable w/ Remote Trigger	
5031	Newcon LRM 1500	



#### **SURVEYING**



The NEWCON 1500 rangefinder has a 7x optical zoom, 8-degree field of view, and a measuring distance of 10-1500 meters.

GPS		
Item #	Description	
5038	Garmin eTrex 10 Handheld GPS	



#### **LOADING & TOOLS**

BARRICADE TAPES		
Item #	Length	Description
5030	1000 ft.	Red " <b>DANGER</b> <b>BLASTING ARE</b> A" Tape
5032		Yellow "DANGER BLASTING AREA" Tape
58097		Yellow " <b>CAUTION</b> " Barricade Tape



5032 58097

#### **LOADING & TOOLS**

PAINT	& APPLICATOR	
Item #	Description	
5014	Fluorescent Red	
5015	Fluorescent Orange	
5040	Fluorescen Green	
5017	Spray & Walk Applicator	





5017



# GLO STAKE & SURVEY FLAGS

Item #	21 in. 100 ct. Bundles	Description
5028		Red
5029		Orange
5034		Green
5043		Lime
5044		Yellow



### **BLASTING FLAGS**

Item #	4"x5"	Description
5037	100 ct.	Markable w/ Single-Sided Print



This round 25' Professional Grade Burden Pole is built of stronger wider rod sections that telescope from 5'-25'. Top section has a  $5/8" \times 11$  size female thread. It is printed with easy to read graduations. Comes with a protective soft nylon carrying case.

BURDEN POLES		
Item #	Description	
52647	16 ft. Burden Pole	
52532	25 ft. Professional Grade Burden Pole	
52538	5/8 in. Eyebolt	







SMOKE DISCHARGER		
Item #	Description	
5039	Single Ct.	



LOADI	NG POLES
Item #	Description
27020	8 ft. Pole w/ C-Connector & Threaded End
27035	10 ft. Pole w/ C-Connector &Threaded End
27036	10 ft. Loading Pole w/ C-Connectors on Both Ends
27039	10 ft. Loading Pole - Plain

0	
	CW TO
	W.
- 1	400
	2
J	

HOOKS & RET		S & RETRIEVERS
	Item #	Description
	23036	Lowering Hook
	23038	Grappling Hook
	27514	Retrieval Hook w/ C-Connector
	27516	Retrieval Hook w/ Threaded End







# LOADING & TOOLS

TAMPING BUNG		
Item #	Size	Length
27511	5/8 in.	2 in.
27513	Thread	3 in.




BLAST HOLE LID (cover & seal)		
Item #	Size	Length
2004	Small	5.5 in - 7.875 in.
2005	Large	7.875 in 10.625 in.





HOLE SAVER PLUG		
Item #	Size	Length
2001	Small	3.5 in 6 in.
2002	Medium	5.5 in 9.5 in.
2003	Large	6.25 in 13 in.



STEM PLUG			
Item #	Size	Hole Size	Quantity
26015	Mini	3.4 in 4 in.	100 ct. box
26016	8 in.	4.5 in 6 in.	100 ct. box
26017	13 in.	6 in 7 7/8 in.	25 ct. box


SHOT BAGS		
Item #	Description	
2054	4.5 in.	
2055	5.5 in.	
2056	6.5 in.	
2057	7 in.	
2058	8 in.	



Shot Bags (Wet Hole Bags) are an inexpensive alternative to using water gels in a saturated environment or can be used in areas of the blast hole that suffer from explosive leaks. These bags come in 4' lengths in a variety of sizes.

BOOSTER LOCK		
Item #	Description	
2030	Fits 5" hole & larger	







Locks the booster in the bottom of the bore hole and keeps it from floating in water and pumpable explosives.

LINE SAVER	
Item #	Description
2032	Fits up to a 7 7/8" Hole

Line Saver will safely secure electric and nonel downlines on the surface of the blast; preventing lost time retrieving downlines that have slipped down the blast hole before being tied in.



#### **LOADING & TOOLS**

LIGHTING		
Item #	Description	
24625	Rebel Rechargable Tasklight / Headlamp	
2065	Cyclops Rechargable LED Spotlight	
2067	Pelican Saberlite2000 Flashlight - Glow in the Dark and Submersible	
2077	Redline BLAST Flashlight	











MISC.	TOOLS
Item #	Description
23003	Spring Lock Wire Stripper
24047	Blaster Sheers
23009	Cap Crimper - Includes Auto Stop, Fuse Cutter & Powder Punch
23022	12 in. Brass Powder Punch
24387	Hawkbill Knife
1002	10 Lb. Bucket Copper Rock Thread Lubricant
2048	16 in. Razor-Back Drain Spade
2049	Razor-Back Round-Point Shovel w/ D-Grip
2050	Razor-Back Round-Point Digging Shovel
2051	Razor-Back Mortar Hoe
2053	Razor-Back Square-Point Shovel
2052	Pick Mattock
2082	Clipboard Storage Case







### SECURITY

LOCKS	
Item #	Description
9001	AH10 - American Padlock 7/16 in. Shackle & 1 1/16 in. Clearance
9018	AH11 American Padlock 7/16 in. Shackle & 2 in. Clearance
9020	Fifth-Wheel Lock
9016	Commerical Club Steering Lock







#### POWER DECK® PLUGS

#### THE POWER DECK SYSTEM

The Power Deck System is a blasting tool that has become a standard operating procedure for some of the worlds largest mining operations.

The Power Deck Plug is being used to achieve the following:

- Reduce explosive usage
- Decrease the amount of needed subdrill
- Decrease vibration
- Improve fragmentation
- Dry up wet holes
- Decking through cracks and caves
- Blasting over deep mines

#### **POWER DECK PLUG**

The Power Deck comes assembled to a wooden or plastic support. The unit is then simply dropped into the blast hole.

#### POWER DECK PRE-PLUG SPLIT


The Pre-Split Plug is used exactly like the Power Deck Plug but has a specific length of rope attached rather than being attached to a wood/plastic support. The plug is dropped into the hole and falls to the desired length of the pre-measured rope. Due to design elements the Pre-Split plug is able to support a full column of explosives without slipping or failing. These plugs are easy to use and provides reliable results.

Call for additional information and product pricing.

#### **POWER DECK® PLUGS**

#### **POWER DECK PLUGS**

- Easy to load
- Reduces explosive usage
- Improves fragmentation
- Decking through cracks and caves
- Reduction of vibration






#### **POWER DECK PRE-PLUG SPLIT**

- Sinks in water
- Rope is attached to a stick on top hole





#### SOUND EQUIPMENT

Item #	Description
6001	Full Feature Warning/ Blasting Siren
6002	100 Watt Speakers Generates 120dbl at 10 ft.
68501	Portable Warning Siren 12 Volt, Rechargable
68580	WoodsCan Hornet Rechargable Electric Air Horn w/ Case



Meets all Class A requirements. Easily mounted behind the grille, on the bumper, or on the bed of a truck.



This siren is a favorite among blasters. It features wail, yelp, air horn, manual and two tone sounds. Meets Class A requirements.





68580

The world's most advanced portable signaling device for industrial and commercial safety. Reliable, Safe, Cost Effective, and Ozone Friendly.

#### STORM DECTECTORS

Item #	Description	
65002	Skyscan Lightning & Storm Detector	
6011	StrikeAlert Personal Lightning Detector	
6010	StrikeAlert HD Lightning Detector	



65002



6010

Lightning strike distance from 0-40 miles away. Plus, one-hour storm trend and intensity warning.



SAFET	CEQUIPMENT	
Item #	Description	
68570	24 in. Folding Plastic Barricade	
68144	Portable Sign Stand	
6005	Plastic Barricade w/ Metal Supports	
68154	Flashing Barricade Light w/ Photo Cell V6	
6101	Orange Traffic Cone w/ Reflective Collars	
78638	Road Cone w/ Danger Blasting Sign	
6003	Safety Whip - 6 ft. Rod, 11.5 In. Square Flag	
6007	Replacement Safety Whip Flag	
6006	Right Angle Mounting Bracket	
6110	Wheel Chock	
68675	M - High Visibilty Construction Tux Harness	
68676	L - High Visibilty Construction Tux Harness	
68677	XL - High Visibilty Construction Tux Harness	
68678	XXL - High Visibilty Construction Tux Harness	
68628	25 ft. Lifeline Extension	
68626	4 ½' - 6' Stretch Lanyard	
68624	20' Retractable Lifeline Lanyard	
64024	Dual Handled Day box 15 x 11 x 8 in.	



Folds for easy storage and is constructed of

a durable plastic with reflective orange and white striping.













#### SAFETY





Designed for tight work spaces or around equipment. Stretches from 4 ½ ft. to 6 ft. Meets all ANSI and OSHA Standards.



Velocity SRL 20' in length. Manufactured with a tough webbing lifeline. Features include swivel tops and swivel snap hooks, as well as a lightweight and durable glass-filled nylon housing.





Vest with a built-in harness which creates a tangle-free body wear system. Leg straps zip into back of harness for storage. Impact indicator, washable material, and a durable zipper. Choose size for proper fit and adjustment.



64024

Red powder coated day box is lined with ½" plywood. Has a lockable hasp, dual handles, and weighs 33lbs.

SIGNS	AND STANDS
Item #	Description
78120	"Blasting in Progress" Aluminum 24x36 - White w/ Red Letters
75029	"Blasting Zone Ahead" Mesh 36x36
75031	"End Blasting Zone" Mesh 36x36
75030	"Turn Off 2-Way Radio" Mesh 36x36
75032	Folding Sign Stand for Mesh and Aluminum Signs
75033	Tri-Pod Aluminum Sign Stand

BLASTING IN PROGRESS
AUTHORIZED PERSONNEL
ONLY
BEYOND THIS POINT

78120









PLACA	ARDS - 10.7	5 in.
Item #	Description	Material
78031		Aluminum
78048	1993	Magnetic
78032	3 Placard	Vinyl Adhesive
78105	3	Tag Board
78049	1///	Aluminum
78050	Flammable	Magnetic
78051	3 Placard	Vinyl Adhesive
78103		Tag Board
78121	3139	Aluminum
78123	Placard	Vinyl Adhesive
78157	3375	Magnetic
78155	Placard	Vinyl Adhesive
78047		Aluminum
78043	1942	Magnetic
78029	Placard	Vinyl Adhesive
78104		Tag Board
78033		Aluminum
78046	2067	Magnetic
78034	Placard	Vinyl Adhesive
78106		Tag Board
78053		Aluminum
78054	Oxidizer	Magnetic
78055	Placard	Vinyl Adhesive

All Placards Meet D.O.T Specifications.



PLACE	RDS - 10.7	5 in.
Item #	Description	Material
78005		Aluminum
78006	Explosives	Magnetic
78007	1.1A	Vinyl Adhesive
78027		Tag Board
78008		Aluminum
78009	Explosives	Magnetic
78010	1.1B	Vinyl Adhesive
78044	bearing the	Tag Board
78139		Aluminum
78138	Explosives	Magnetic
78137	1.2C	Vinyl Adhesive
78002		Aluminum
78003	Explosives	Magnetic
78004	Explosives 1.1D	Vinyl Adhesive
78022		Tag Board
78150	Evolosivas	Magnetic
78149	Explosives 1.2G	Vinyl Adhesive
78018		Aluminum
78019	Evolosives	Magnetic
78020	Explosives 1.3C	Vinyl Adhesive
78024		Tag Board
78152	Explosives	Magnetic
78151	1.3G	Vinyl Adhesive

All Placards Meet D.O.T Specifications.



PLACA	ARDS	
Item #	Description	Material
78011		Aluminum
78012	1.4 Explosives	Magnetic
78013	B1	Vinyl Adhesvie
78148	1.4	Magnetic
78147	Explosives C1	Vinyl Adhesive
78014		Aluminum
78015	1.4	Magnetic
78016	Explosives D1	Vinyl Adhesive
78026		Tag Board
78124		Aluminum
78125	1.4	Magnetic
78089	Explosives S1	Vinyl Adhesive
78126		Tag Board
78035		Aluminum
78036	1.5	Magnetic
78037	Blasting Agents D1	Vinyl Adhesive
78023		Tag Board
78163	Corrosive	Aluminum
78161	8	Vinyl Adhesive

SLIDEMASTER HOLDER	
Item #	Size
78056	10.75 in x 10.75 in.

Placard holders feature an easy glide method suitable for metal, rigid vinyl, and tag board placards. Designed to fit any D.O.T placard. Clip holds sign in place



FLIP PLACARD (10.75"x10.75")		
Item #	Legends	
78001	1.5 Blasting Agents Dangerous Explosives 1.1D 1.4 Explosives B Oxidizer 5.1 1.4 Explosives D Flammable 3 Explosives 1.1B	



SPLIT	FLIP PLACARD (10.75"x10.75")	
Item #	Legends	
78000	1.5 Blasting Agents Dangerous Explosives 1.1D 1.4 Explosives B Oxidizer 5.1 1.4 Explosives D Flammable 3 Explosives 1.1B	



FLIP PLACARD (10.75"x10.75")	
Item #	Legends
78017	Explosives 1.1D Blank

